








# Electric Water Heater



CONFORMING TO SAUDI AND INTERNATIONAL STANDARDS

# TECHNICAL DATA



HMR EWH-V	A	B	C	D	E	F	G	L	CAPACITY litres	POWER W	VOLTAGE V	HEATING TIME $\Delta t=45^{\circ}\text{C}$	MAX WORKING PRESSURE MPa	INSULATION THICKNESS average/moyenne mm	NET WEIGHT Kg ( $\pm 4\%$ )
VERTICAL ELECTRIC WATER HEATERS															
HMR-EWH-V30 SLIM	535	555	380	355	90	375	300	100	30	1200	220-240	1 H, 45	0.75	20	12
HMR-EWH-V50	490	532	332	445	115	465	318	100	50	1200	220-240	2 H, 45	0.75	20	16.5
HMR-EWH-V80	733	775	575	445	115	465	318	100	80	1200	220-240	3 H, 30	0.75	20	22.5
HMR-EWH-V100	918	960	760	445	115	465	318	100	100	1500	220-240	4 H, 30	0.75	20	26.5
HMR-EWH-V120	1053	1095	895	445	115	465	318	100	120	1500	220-240	5 H, 30	0.75	20	30.5
HMR-EWH-V150	1289	1131	1131	445	115	465	318	100	150	1500	220-240	6 H, 30	0.75	20	36.5

HMR EWH-H	A	B	C	D	E	F	G	H	L	CAPACITY litres	POWER W	VOLTAGE V	HEATING TIME $\Delta t=45^{\circ}\text{C}$	MAX WORKING PRESSURE MPa	INSULATION THICKNESS average/moyenne mm	NET WEIGHT Kg ( $\pm 4\%$ )
HORIZONTAL ELECTRIC WATER HEATERS																
HMR-EWH-H50	460	532	382	445	235	465	149	220	130	50	1200	220-240	2 H, 45	0.75	20	16.5
HMR-EWH-H80	460	775	382	445	235	465	390	220	130	80	1200	220-240	3 H, 30	0.75	20	22.5
HMR-EWH-H100	460	960	382	445	235	465	575	220	130	100	1500	220-240	4 H, 30	0.75	20	26.5
HMR-EWH-H120	460	1095	382	445	235	465	760	220	130	120	1500	220-240	5 H, 30	0.75	20	30.5
HMR-EWH-H150	460	1131	382	445	235	465	816	220	130	150	1500	220-240	6 H, 30	0.75	20	36.5