

 Multikwik®




About Multikwik

Since its inception Multikwik has revolutionised plumbing in the UK, it was one of the first companies to support the use of plastics in plumbing. The innovative EVA WC connectors first introduced to the UK by Multikwik, provided plumbers a solution to a long standing plumbing problem.

From this innovation, the Multikwik ethos has grown – in every product we manufacture we aim to meet Multikwik's benchmark standards of:

- Reliability
- Simplicity
- Speed of installation
- Problem solving features



TRAPS



Multikwik Traps

The Multikwik traps range has been created with and by plumbers to ensure all the typical installations and installer preferences can be met.

Our high quality components including, but not limited to, our compression nuts, slip ring and EPDM profiled rubber seal – ensure a secure watertight joint and help you to achieve a fuss free 'no call back' installation. The smooth, clean, internal surfaces facilitate self-cleaning and avoid debris build-up.

No matter how challenging the installation we are confident we have a trap to meet your requirements.

KEY



- Resealing



- Adjustable



- Water Seal Size



- Colour

TRAPS

STANDARD



SIZE	CODE
32mm	B032
40mm	B040

RESEALING



R
Resealing

SIZE	CODE
32mm	B032R
40mm	B040R

ADJUSTABLE



A
Adjustable

SIZE	CODE
32mm	B032A
40mm	B040A

ADJUSTABLE / RESEALING



A Adjustable
R Resealing

SIZE	CODE
32mm	B032RA
40mm	B040RA

TRAPS

TUBULAR SWIVEL TRAP

Use NKT001 nozzle for appliance connection

A
Adjustable

SIZE	CODE
40mm	SWM040A



Both inlet and outlet swivel to allow easy connection to pipes, even in confined areas

'P' TRAP

SIZE	CODE
32mm	RP032
40mm	RP040
50mm	RP050X



'S' TRAP

SIZE	CODE
32mm	RS032
40mm	RS040



RUNNINGtrap



'P' TRAP

SIZE	CODE
32mm	P032
40mm	P040
50mm	P050



'S' TRAP

SIZE	CODE
32mm	S032
40mm	S040



ADJUSTABLE 'P' TRAP

A
Adjustable

SIZE	CODE
32mm	P032A
40mm	P040A

TIPS and HINTS

To save time on site all Multikwik traps have unique slip ring colours to aid size identification.

- 50mm** white seals
- 40mm** red seals
- 32mm** blue seals

50mm traps

Suitable for a range of Basins, Urinals, Catering Sinks and Hospital Appliances

40mm traps

Suitable for Baths, Showers, Sinks, Urinals and Kitchen Appliances

32mm traps

Suitable for Hand Basins, Bidets, Bar Wells and Drinking Fountains

Actual Size

TRAPS

LOW LEVEL




SIZE
40mm

CODE
P1940

Seal
19
mm

LOW LEVEL



SIZE
40mm

CODE
P5040

Seal
50
mm

LOW LEVEL / ANTI VAC



SIZE
40mm

CODE
P5040V

Seal
50
mm

WC CONNECTORS

The background is a deep blue with a subtle, embossed texture of water droplets. On the left side, there is a faint, semi-transparent image of a globe. On the right side, the rim of a white coffee cup is visible, partially cut off by the edge of the frame.



Multikwik WC Connectors

With over 40 years experience, Multikwik have always been renowned globally for our innovative range of WC Connectors.

Our comprehensive range is one of the largest on the market and covers spigots of 74mm – 114mm, ensuring an accurate fit, regardless of the make and model of sanitary chinaware.

KEY

PRODUCT	size
	Suitability

- Size range in millimetres (mm)

- Suitable pan style or pipe material

Know your spigot

KEY	SIZE	PAN SUITABILITY	BRITISH STANDARD
MODERN	97-108 mm	Modern & New Pans	BS5503 & BS5504
OLD	108-114 mm	Old & Siphonic Pans	BS1213
STAINLESS STEEL	76-95 mm	Stainless Steel Pans	-

Know your pipe

KEY	SIZE	PIPE SUITABILITY	BRITISH STANDARD
STANDARD	99-105 mm	uPVC / Clay / Cast Iron	BS4514/BS4660/ BS65/BS416
CAST IRON	88-92 mm	Traditional Cast Iron	-
OLD	74-77 mm	Extremely Old Soil	-
COPPER	105-108 mm	Copper	-

STRAIGHTconnectors

STANDARD



SPIGOT 108-114
Old

PIPE 99-105
Standard

CODE
MKS1

STANDARD



SPIGOT 97-108
Modern

PIPE 99-105
Standard

CODE
MKS2

STRAIGHT



SPIGOT 108-114
Old

PIPE 88-92
Cast Iron

CODE
MKS3

STRAIGHT



SPIGOT 76-95
Stainless Steel

PIPE 99-105
Standard

CODE
MKS5

LONG ADJUSTABLE STRAIGHT



To be used with 'S' trap pans in 'wet room' environments

SPIGOT 97-108
Modern

PIPE 99-105
Standard

CODE
MKLAS1

STRAIGHT SIPHONIC



SPIGOT 108-114
Old

PIPE 99-105
Standard

CODE
MKS1A

Used when the soil pipe and WC pan spigot are misaligned

WC CONNECTORS

18mm OFFSET



SPIGOT **108-114**
Old

PIPE **99-105**
Standard

CODE
MKO1

18mm OFFSET



SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

CODE
MKO2

18mm OFFSET



SPIGOT **108-114**
Old

PAN **88-92**
Cast Iron

CODE
MKO3

OFFSETconnectors

40mm OFFSET



CODE
MKO4

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO1S

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO5

SPIGOT **76-95**
Stainless Steel

PIPE **99-105**
Standard

100mm OFFSET



CODE
MKO100

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO7

SPIGOT **97-108**
Modern

PIPE **88-92**
Cast Iron



ADDEDextra

All genuine Multikwik WC connectors are supplied with a sachet of lubricant to ease the installation - with the exception of our adjustable and rigid connectors.

WC CONNECTORS

BENDconnectors

45° KNUCKLE BEND



CODE
MKB45

PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard

104° BEND



CODE
MKB21104

PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard



104° BEND



CODE
MKB21104S

PIPE SPIGOT
97-108
Modern

PAN
105-108
Copper

WC CONNECTORS

BENDconnectors

90° SPACE SAVER BEND



Used when installing a close coupled toilet into existing pipework or when space is limited.

Adjustable - Can be cut to suit, both horizontally and vertically

CODE
MKBAR90

PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard

90° TIGHT KNUCKLE BEND



CODE
MKB21

PIPE SPIGOT
108-114
Old

PAN
99-105
Standard



BSinfo

British Standard states that a solid ball of 80mm must pass through pipework unaided. All Multikwik Pan Connectors including those with boss upstands meet this requirement, reducing the risk of blockage and expensive remedial costs.

BENDconnectors

90° TIGHT KNUCKLE BEND



CODE
MKB21S

SPIGOT	108-114 Old
PIPE	105-108 Copper

90° TALL TIGHT KNUCKLE BEND



CODE
MKB22

SPIGOT	108-114 Old
PIPE	99-105 Standard

90° BEND



CODE
MKB2190

 BBA BRITISH BOARD OF AGREEMENT <small>CERTIFICATE No 88/2107</small>	
SPIGOT	97-108 Modern
PIPE	99-105 Standard

90° BEND - TALL



CODE
MKB3190



SPIGOT	97-108 Modern
PIPE	99-105 Standard

90° BEND



CODE
MKB2190S

SPIGOT	97-108 Modern
PIPE	105-108 Copper

90° BEND



CODE
MKB2590

SPIGOT	76-95 Stainless Steel
PIPE	99-105 Standard

WC CONNECTORS

MULTICLIK HOSEconnectors

FLEXIBLE STRAIGHT



Flexible ends for excellent joint quality
Robust and reliable integral soil sealing fins
High quality Multikwik seals
Extends from 225mm to 550mm
Retains its position whatever shape is required

CODE
MKC2

SPIGOT
97-108
Modern

PIPE
99-105
Standard

90° BEND & with 40mm BOSS



Extends from 375 to 710mm

CODE
MKC2B90



Extends from 405 to 740mm

CODE
MKC2BB90

Converts a 'P' trap pan into an 'S' trap pan with adjustment and flexibility for final connection

SPIGOT
97-108
Modern

PIPE
99-105
Standard



 **Multikwik®**

Nathan Way,
London SE28 0AE

T: +44 (0)20 8855 9851

F: +44 (0)20 8317 7764

E: info@multikwik.com

an Olixaxis company



When you have finished with
this brochure please recycle it.